

Iterative projection methods for sparse linear system and eigenproblems

Heinrich Voss

References

- [1] L. Adams. m-step preconditioned conjugate gradient methods. *SIAM Sci. Stat. Comput.*, 6:452 – 463, 1985.
- [2] P.M. Anselone and L.B. Rall. The solution of characteristic value-vector problems by Newton’s method. *Numer. Math.*, 11:38–45, 1968.
- [3] T. Apel, V. Mehrmann, and D. Watkins. Structured eigenvalue methods for the computation of corner singularities in 3D anisotropic elastic structures. *Comput. Meth. Appl. Mech. Engrg.*, 191:4459 – 4473, 2002.
- [4] M. Arioli. A stopping criterion for the conjugate gradient algorithm in a finite element method framework. *Numer. Math.*, 97:1 – 24, 2004.
- [5] M. Arioli. Stopping criteria in finite element problems. *Numer. Math.*, 99:381 – 410, 2005.
- [6] M. Arioli, I. Duff, and D. Ruiz. Stopping criteria for iterative solvers. *SIAM J. Matr. Anal. Appl.*, 13:138 – 144, 1992.
- [7] W.E. Arnoldi. The principle of minimized iterations in the solution of the matrix eigenvalue problem. *Quart. Appl. Math.*, 9:17 – 29, 1951.
- [8] S.F. Ashby. Minimax polynomial preconditioning for hermitian linear systems. *SIAM J. Matrix Anal. Appl.*, 12:766 – 789, 1991.
- [9] S.F. Ashby, T.A. Manteuffel, and J.S. Otto. A comparison of adaptive chebyshev and least squares polynomial preconditioning for hermitian positive definite linear systems. *SIAM J. Sci. Stat. Comput.*, 13:1 – 29, 1992.
- [10] S.F. Ashby, T.A. Manteuffel, and P.E. Saylor. A taxonomy for conjugate gradient methods. *SIAM J. Numer. Anal.*, 27:1542 – 1568, 1990.
- [11] O. Axelsson. Conjugate gradient type methods for unsymmetric and inconsistent systems of linear equations. *Lin. Alg. Appl.*, 29:1 – 16, 1980.

- [12] O. Axelsson. A generalized conjugate direction method and its application on a singular perturbation problem. In G.A. Watson, editor, *Proceedings of the 8th Biennial Numerical Analysis Conference, Dundee 1979*, volume 773 of *Lecture Notes in Mathematics*, pages 1 — 11, Berlin, Germany, 1980. Springer-Verlag.
- [13] O. Axelsson. A survey of preconditioned iterative methods for linear systems of algebraic equations. *BIT*, 25:166 – 187, 1985.
- [14] O. Axelsson. A generalized conjugate gradient, least square method. *Numer.Math.*, 51:209 – 227, 1987.
- [15] O. Axelsson. Bounds of eigenvalues of preconditioned matrices. *SIAM J. Matrix Anal. Appl.*, 13:847 – 862, 1992.
- [16] O. Axelsson and L.Y. Kolotilina, editors. *Preconditioned Conjugate Gradient Methods*, volume 1457 of *Lecture Notes in Mathematics*, Berlin, 1990. Springer.
- [17] J. Baglama, D. Calvetti, G.H. Golub, and L. Reichel. Adaptively preconditioned GMRES algorithms. *SIAM J. Sci. Comput.*, 20:243 – 269, 1998.
- [18] J. Baglama, D. Calvetti, and L. Reichel. Fast Leja points. *Electron. Trans. Numer. Anal.*, 7:124 – 140, 1998.
- [19] J. Baglama, D. Calvetti, and L. Reichel. IRBL: An implicitly restarted block Lanczos method for large-scale Hermitian eigenproblems. *SIAM J. Sci. Comput.*, 24:1650–1677, 2003.
- [20] Z. Bai, J. Demmel, J. Dongarra, A. Ruhe, and H.A. van der Vorst, editors. *Templates for the Solution of Algebraic Eigenvalue Problems: A Practical Guide*. SIAM, Philadelphia, 2000.
- [21] Z. Bai and B.-S. Lia. Towards an optimal substructuring method for model reduction. In J. Dongarra, K. Madsen, and J. Wasniewski, editors, *Applied Parallel Computing. State of the Art in Scientific Computing*, volume 3732 of *Lecture Notes on Computer Science*, pages 276 – 285, Berlin, 2006. Springer Verlag.
- [22] Z. Bai and Y. Su. Dimension reduction of large scale second-order dynamical systems via a second-order Arnoldi method. *SIAM J. Sci. Comput.*, 26:1692 – 1709, 2005.
- [23] Z. Bai and Y. Su. SOAR: A second order Arnoldi method for the solution of the quadratic eigenvalue problem. *SIAM J. Matr. Anal. Appl.*, 26:540 – 659, 2005.
- [24] Z. Bai and Y. Su. A technique for accelerating the convergence of restarted GMRES. *SIAM J. Matr. Anal. Appl.*, 26:962 – 984, 2005.

- [25] R.E. Bank and T.F. Chan. An analysis of the composite step biconjugate gradient method. *Numer. Math.*, 66:293 – 319, 1993.
- [26] R.E. Bank and T.F. Chan. A composite step biconjugate gradient algorithm for nonsymmetric linear systems. *Numer. Alg.*, 7:1 – 16, 1994.
- [27] B. Barret, M. Berry, T. Chan, J. Demmel, J. Donato, J. Dongarra, V. Eijkhout, R. Pozo, and H.A. van der Vorst, editors. *Templates for the Solution of Linear Systems: Building Blocks for Iterative Systems*. SIAM, Philadelphia, 1994.
- [28] G. Bastard. *Wave Mechanics Applied to Semiconductor Heterostructures*. Les editions de physique, Les Ulis Cedex, 1988.
- [29] C.A. Beattie, M. Embree, and D.C. Sorensen. Convergence of polynomial restart Krylov methods for eigenvalue computations. *SIAM Review*, 47:492 – 515, 2005.
- [30] B. Beckermann, S.A. Goreinov, and E.E. Tyrtysnikov. Some remarks on the Elman estimate for GMRES. *SIAM J. Matr. Anal. Appl.*, 2006. To appear.
- [31] B. Beckermann and A.B.J Kuijlaars. Superlinear convergence of conjugate gradients. *SIAM J. Numer. Anal.*, 39:300 – 329, 2001.
- [32] J. Bennighof. Vibroacoustic frequency sweep analysis using automated multi-level substructuring. In *Proceedings of the AIAA 40th SDM Conference*, St. Louis, Missouri, 1999.
- [33] J.K. Bennighof. Adaptive multi-level substructuring method for acoustic radiation and scattering from complex structures. In A.J. Kalinowski, editor, *Computational methods for Fluid/Structure Interaction*, volume 178, pages 25 – 38, New York, 1993.
- [34] J.K. Bennighof and M.F. Kaplan. Frequency sweep analysis using multi-level substructuring, global modes and iteration. In *Proceedings of the AIAA 39th SDM Conference*, Long Beach, Ca., 1998.
- [35] J.K. Bennighof and R.B. Lehoucq. An automated multilevel substructuring method for the eigenspace computation in linear elastodynamics. *SIAM J. Sci. Comput.*, 25:2084 – 2106, 2004.
- [36] M. Benzi. Preconditioning techniques for large linear systems: A survey. *J. Comput. Phys.*, 182:418 – 477, 2002.
- [37] M. Benzi, C.D. Meyer, and M. Tuma. A sparse approximate inverse preconditioner for the conjugate gradient method. *SIAM J. Sci. Comput.*, 17:1135 – 1149, 1996.

- [38] T. Betcke and H. Voss. A Jacobi–Davidson–type projection method for nonlinear eigenvalue problems. *Future Generation Computer Systems*, 20(3):363 – 372, 2004.
- [39] A. Björck, R.J. Plemmons, and H. Schneider. *Large-Scale Matrix Problems*. North-Holland, New York, 1981.
- [40] F. Blömeling and H. Voss. A model-order reduction technique for low-rank rational perturbations of linear eigenproblems. In J. Dongarra, K. Madsen, and J. Wasniewski, editors, *Applied Parallel Computing. State of the Art in Scientific Computing*, volume 3732 of *Lecture Notes on Computer Science*, pages 296 – 304, Berlin, 2006. Springer Verlag.
- [41] J. Brandts. The Riccati algorithm for eigenvalues and invariant subspaces of matrices with inexpensive action. *Lin.Alg.Appl.*, 358:333–363, 2003.
- [42] C. Brezinski and R. Redivo-Zaglia. Treatment of near-breakdown in the CGS algorithm. *Numer. Alger.*, 7:33–73, 1994.
- [43] C. Brezinski, M. Redivo Zaglia, and H. Sadok. A breakdown-free Lanczos type algorithm for solving linear systems. *Numer. Math.*, 63:29 – 38, 1992.
- [44] P.N. Brown. A theoretical comparison of the Arnoldi and GMRES algorithms. *SIAM J. Sci. Stat. Comput.*, 12:58 – 78, 1991.
- [45] J.R Bunch and D.J. Rose, editors. *Sparse Matrix Computations*, New York, 1976. Academic Press.
- [46] X.-C. Cai and O.B. Widlund. Domain decomposition algorithms for indefinite elliptic problems. *SIAM J. Sci. Stat. Comput.*, 13:243 – 258, 1992.
- [47] D. Calvetti, L. Reichel, and D.C. Sorensen. An implicitly restarted Lanczos method for large symmetric eigenvalue problems. *Electronic Transactions on Numerical Analysis*, 2:1–21, 1994.
- [48] Z.-H. Cao. On the QMR approach for iterative methods including coupled three-term recurrences for solving nonsymmetric linear systems. *Appl. Numer. Math.*, 27:123 – 140, 1998.
- [49] T.F. Chan, E. Gallopoulos, V. Simoncini, T. Szeto, and C.H. Tong. A quasi-minimal residual variant of the Bi-CGSTAB algorithm for nonsymmetric systems. *SIAM J. Sci. Comput.*, 15:338 – 347, 1994.
- [50] K. Chen. *Matrix Preconditioning Techniques and Applications*. Cambridge University Press, Cambridge, 2005.
- [51] S.L. Chuang. *Physics of Optoelectronic Devices*. John Wiley & Sons, New York, 1995.

- [52] C. Conca, J. Planchard, and M. Vanninathan. Existence and location of eigenvalues for fluid-solid structures. *Comput.Meth.Appl.Mech.Engrg.*, 77:253 – 291, 1989.
- [53] C. Conca, J. Planchard, and M. Vanninathan. *Fluid and Periodic Structures*, volume 24 of *Research in Applied Mathematics*. Masson, Paris, 1995.
- [54] P. Concus, G.H. Golub, and G. Meurant. Block preconditioning for the conjugate gradient method. *SIAM J. Sci. Stat. Comput.*, 6:220 – 252, 1985.
- [55] P. Concus, G.H. Golub, and D.P. O’Leary. A generalized conjugate gradient method for the numerical solution of elliptic partial differential equations. In J.R Bunch and D.J. Rose, editors, *Sparse Matrix Computations*, pages 309 – 332, New York, 1976. Academic Press.
- [56] V. Conrad and Y. Wallach. A faster SSOR algorithym. *Numer. Math.*, 27:371 – 372, 1977.
- [57] E.J. Craig. The n-step iteration procedures. *J. Math. Phys.*, 34:64 – 73, 1955.
- [58] R.R. Craig Jr. and M.C.C. Bampton. Coupling of substructures for dynamic analysis. *AIAA J.*, 6:1313–1319, 1968.
- [59] M. Crouzeix, B. Philippe, and M. Sadkane. The Davidson method. *SIAM J.Sci.Comput.*, 15:62–76, 1994.
- [60] J. Cullum. Peaks and plateaus in Lanczos methods for solving nonsymmetric systems of equations. *Appl. Numer. Math.*, 19:255 – 278, 1995.
- [61] J. Cullum. Iterative methods for solving $ax = b$, GMRES/FOM vs. QMR/BICG. *Adv. Comput. Math.*, 6:1 – 24, 1996.
- [62] J. Cullum and R. A. Willoughby, editors. *Large Scale Eigenvalue Problems*, volume 127 of *North Holland Mathematics Studies*, Amsterdam, New York, 1986. Elsevier Science Publishers.
- [63] J. Cullum and R. A. Willoughby. A practical procedure for computing eigenvalues of large sparse nonsymmetric matrices. In J. Cullum and R. A. Willoughby, editors, *Large Scale Eigenvalue Problems*, pages 193 – 240. Elsevier Science Publishers, Amsterdam, New York, 1986.
- [64] J.K. Cullum and A. Greenbaum. Relations between Galerkin and norm-minimizing iterative methodsfor solving linear systems. *SIAM J. Matr. Anal. Appl.*, 17:223 – 247, 1996.
- [65] E.R. Davidson. The iterative calculation of a few of the lowest eigenvalues and corresponding eigenvectors of large real-symmetric matrices. *J. Comput. Phys.*, 17:87 – 94, 1975.

- [66] E.F. d’Azevedo, P.A. Forsyth, and W.P. Tang. Towards a cost effective ILU preconditioner with high level fill. *BIT*, 32:442 – 463, 1992.
- [67] E. de Sturler. Truncation strategies for optimal Krylov subspace methods. *SIAM J. Numer. Anal.*, 36:864 – 889, 1999.
- [68] E. de Sturler. Improving the convergence of the Jacobi-Davidson algorithm. Technical Report UIUCDCS-R-2000-2173/UIIU-ENG-2000-1730, Department of Computer Science, University of Illinois at Urbana-Champaign, 2000. submitted *SIAM J. Scientific Computing*, being revised.
- [69] J.-P. Dedieu and F. Tisseur. Perturbation theory for homogeneous polynomial eigenvalue problems. *Lin.Alg.Appl.*, 358:71–94, 2003.
- [70] J.W. Demmel, M.T. Heath, and H.A. van der Vorst. Parallel numerical linear algebra. *Acta Numer.*, 2:111 – 198, 1993.
- [71] J.J. Dongarra, I.S. Duff, D.C. Sorensen, and H.A. van der Vorst. *Solving Linear Systems on Vector and Shared Memory Computers*. SIAM, Philadelphia, 1991.
- [72] M. Dryja and O.B. Widlund. Domain decomposition algorithms with small overlap. *SIAM J. Sci. Stat. Comput.*, 15:604 – 620, 1994.
- [73] I.S. Duff, A.M. Erisman, and J.K. Reid. *Direct Methods for Sparse Matrices*. Oxford University Press, Oxford, 1986.
- [74] I.S. Duff, R.G. Grimes, and J.G. Lewis. Sparse matrix test problems. *ACM TOMS*, 15:1 – 14, 1989.
- [75] R.J. Duffin. A minimax theory for overdamped networks. *J. Rat. Mech. Anal.*, 4:221 – 233, 1955.
- [76] R.J. Duffin. The Rayleigh–Ritz method for dissipative and gyroscopic systems. *Quart. Appl. Math.*, 18:215 – 221, 1960.
- [77] M. Eiermann. Field of values and iterative methods. *Lin. Alg. Appl.*, 180:167 – 197, 1993.
- [78] M. Eiermann and O. Ernst. Geometric aspects of the theory of Krylov subspace methods. *Acta Numerica*, 10:251 – 312, 2001.
- [79] M. Eiermann, O. Ernst, and O. Schneider. Analysis of acceleration strategies for restarted minimal residual methods. *J. Comput. Appl. Math.*, 123:261 – 292, 2000.
- [80] M. Eiermann, W. Niethammer, and R.S. Varga. A study of semiiterative methods for nonsymmetric systems of linear equations. *Numer. Math.*, 47:503 – 533, 1985.

- [81] S.C. Eisenstat. Efficient implementation of a class of preconditioned conjugate gradient methods. *SIAM J. Sci. Stat. Comput.*, 2:1 – 4, 1981.
- [82] S.C. Eisenstat. A note on the generalized conjugate gradient method. *SIAM J. Numer. Anal.*, 20:358 – 361, 1983.
- [83] S.C. Eisenstat. Some observations on the generalized conjugate gradient method. In V. Pereyra and A. Reinoza, editors, *Numerical Methods, Proceedings, Caracas 1982*, volume 1005 of *Lecture Notes in Mathematics*, pages 99 — 107, Berlin, Germany, 1983. Springer-Verlag.
- [84] S.C. Eisenstat, H.C. Elman, and M.H. Schultz. Variational iterative methods for nonsymmetric systems of linear equations. *SIAM J. Numer. Anal.*, 20:345 – 357, 1983.
- [85] S.C. Eisenstat, J.M. Ortega, and C.T. Vaughan. Efficient polynomial preconditioning for the conjugate gradient method. *SIAM J. Sci. Stat. Comput.*, 11:859 – 872, 1990.
- [86] H.C. Elman. *Iterative Methods for Large, Sparse, Nonsymmetric Systems of Linear Equations*. PhD thesis, Dept. Comput. Sci, Yale University, New Haven, 1982.
- [87] H.C. Elman. A stability analysis of incomplete LU factorization. *Math. Comp.*, 47:191 – 217, 1986.
- [88] H.C. Elman. Approximate schur complement preconditioners on serial and parallel computers. *SIAM J. Sci. Stat. Comput.*, 10:581 – 605, 1989.
- [89] H.C. Elman, Y. Saad, and P.E. Saylor. A hybrid Chebyshev Krylov subspace algorithm for solving nonsymmetric systems of linear equations. *SIAM J. Sci. Stat. Comput.*, 7:840 – 855, 1986.
- [90] L.E. Elsgolts and S.B. Norkin. *Introduction to the theory and application of differential equations with deviating argument*. Academic Press, New York, 1973.
- [91] K. Elssel and H. Voss. A modal approach for the gyroscopic quadratic eigenvalue problem. In P. Neittaanmäki, T. Rossi, S. Korotov, E. Onate, J. Periaux, and D. Knörzer, editors, *Proceedings of the European Congress on Computational Methods in Applied Sciences and Engineering. ECCOMAS 2004*, Jyväskylä, Finland, 2004. ISBN 951-39-1869-6. Available at <http://www.tu-harburg.de/mat/Schriften/rep/rep73.pdf>.
- [92] K. Elssel and H. Voss. Automated multi-level substructuring for nonlinear eigenproblems. In H.B.V. Topping, editor, *Proceedings of the Tenth International Conference on Civil, Structural, and Engineering Computing*, Stirling, 2005. Civil-Comp Press. paper 231 on CD-ROM.

- [93] K. Elssel and H. Voss. Reducing huge gyroscopic eigenproblem by Automated Multi-Level Substructuring. Technical report, Institute of Mathematics, Hamburg University of Technology, 2005. To appear in Arch. Appl. Mech.
- [94] K. Elssel and H. Voss. Reducing sparse nonlinear eigenproblems by Automated Multi-Level Substructuring. Technical report, Institute of Mathematics, Hamburg University of Technology, 2005. Submitted to Computers & Structures.
- [95] K. Elssel and H. Voss. An a priori bound for automated multilevel substructuring. *SIAM J. Matr.Anal.Appl.*, 28:386 – 397, 2006.
- [96] M. Embree. *Convergence of Krylov subspace methods for non-normal matrices*. PhD thesis, Numerical Analysis Group, Oxford University, 1999.
- [97] M. Embree. The tortoise and the hare restart GMRES. *SIAM Review*, 45:259 – 266, 2003.
- [98] M. Embree and L.N. Trefethen. Generalizing eigenvalue theorems to pseudospectra theorems. *SIAM J.Sci.Comput.*, 23:583 – 590, 2001.
- [99] O.G. Ernst. Residual-minimizing Krylov subspace methods for stabilized discretizations of convection-diffusion equations. *SIAM J. Matr. Anal. Appl.*, 21:1079 – 1101, 2000.
- [100] V. Faber and T. Manteuffel. Necessary and sufficient conditions for the existence of a conjugate gradient method. *SIAM J. Numer. Anal.*, 21:352 – 362, 1984.
- [101] V. Faber and T. Manteuffel. Orthogonal error methods. *SIAM J. Numer. Anal.*, 24:170 – 187, 1987.
- [102] FEMLAB, Version 3.1. COMSOL, Inc., Burlington, MA, USA, 2004.
- [103] R. Fletcher. Conjugate gradient methods for indefinite systems. In G.A. Watson, editor, *Proceedings of the 6th Biennial Numerical Analysis Conference, Dundee 1975*, volume 506 of *Lecture Notes in Mathematics*, pages 73 — 89, Berlin, Germany, 1976. Springer-Verlag.
- [104] D.R. Fokkema, G.L.G. Sleijpen, and H.A. Van der Vorst. Generalized conjugate gradient squared. *J. Comput. Appl. Math.*, 71:125 – 146, 1994.
- [105] D.R. Fokkema, G.L.G. Sleijpen, and H.A. Van der Vorst. Jacobi-Davidson style QR and QZ algorithms for the partial reduction of matrix pencils. *SIAM J.Sci.Comput.*, 20:94 – 125, 1998.
- [106] G. Freiling, V. Mehrmann, and H. Xu. Existence, uniqueness and parametrization of lagrangian invariant subspaces. *SIAM J. Matr. Anal. Appl.*, 23:1045–1069, 2002.

- [107] R. W. Freund and N. M. Nachtigal. Software for simplified Lanczos and QMR algorithms. *Applied Numerical Mathematics*, 19:319–341, 1995.
- [108] R.W. Freund. Conjugate gradient-type methods for linear systems with complex symmetric coefficient matrices. *SIAM J. Sci. Stat. Comput.*, 13:425 – 448, 1992.
- [109] R.W. Freund. A transpose-free quasi-minimal residual algorithm for non-Hermitian linear systems. *SIAM J. Sci. Comput.*, 14:470 – 482, 1993.
- [110] R.W. Freund. Transpose-free quasi-minimal residual methods for non-Hermitian linear systems. In G. Golub, A. Greenbaum, and M. Luskin, editors, *Recent Advances in Iterative Methods, The IMA Volumes in Mathematics and its Applications, Vol. 60*, pages 69–94. Springer-Verlag, 1994.
- [111] R.W. Freund. Preconditioning of symmetric, but highly indefinite linear systems. In A. Sydow, editor, *15th IMACS World Congress on Scientific Computation, Modelling and Applied Mathematics, Vol. 2, Numerical Mathematics*, pages 551–556. Wissenschaft und Technik Verlag, 1997.
- [112] R.W. Freund. Passive reduced-order models for interconnect simulation and their computation via Krylov-subspace algorithms. In *Proceedings of the 36th Design Automation Conference, New Orleans, Louisiana*, pages 195–200. Association for Computing Machinery, Inc., 1999.
- [113] R.W. Freund. Reduced-order modeling techniques based on Krylov subspaces and their use in circuit simulation. In B.N. Datta, editor, *Applied and Computational Control, Signals, and Circuits, Volume 1*, pages 435–498. Birkhäuser, Boston, 1999.
- [114] R.W. Freund. Krylov-subspace methods for reduced-order modeling in circuit simulation. *Journal of Computational and Applied Mathematics*, 123:395–421, 2000.
- [115] R.W. Freund. Passive reduced-order modeling via Krylov-subspace methods. In *Proceedings of the 2000 IEEE International Symposium on Computer-Aided Control System Design*, pages 261–266. IEEE, 2000.
- [116] R.W. Freund. Computation of matrix-valued formally orthogonal polynomials and applications. *Journal of Computational and Applied Mathematics*, 127:173–199, 2001.
- [117] R.W. Freund. Model reduction methods based on krylov subspaces. *Acta Numerica*, 12:267 – 319, 2003.
- [118] R.W. Freund. Padé-type model reduction of second-order and higher-order linear dynamical systems. In P. Benner, V. Mehrmann, and D.C. Sorensen, editors, *Dimension Reduction of Large-Scale Systems. Proceedings of a Workshop held in Oberwolfach*, Lect. Notes in Computational Science and Engineering, pages 191 – 223, Berlin, 2005. Springer.

- [119] R.W. Freund. Passive reduced-order modeling via Krylov-subspace methods. In *Proceedings of the 14th Symposium on Mathematical Theory of Networks and Systems*, Perpignan, France, June 19–23, 2000.
- [120] R.W. Freund, G.H. Golub, and N.M. Nachtigal. Iterative solution of linear systems. *Acta Numer.*, pages 57 – 100, 1992.
- [121] R.W. Freund, G.H. Golub, and N.M. Nachtigal. Recent advances in Lanczos based iterative methods for nonsymmetric linear systems. In M.Y. Hussaini, A. Kumar, and M.D. Salas, editors, *Algorithmic Trends in Computational Fluid Dynamics*, pages 137 – 162, Berlin, 1993. Springer.
- [122] R.W. Freund, M.H. Gutknecht, and N.M. Nachtigal. An Implementation of the Look-Ahead Lanczos algorithm for non-Hermitian matrices. *SIAM J. Sci. Comput.*, 14:137 – 158, 1993.
- [123] R.W. Freund and N.M. Nachtigal. QMR: A quasi-minimal residual method for non-Hermitian linear systems. *Numer. Math.*, 60:315 – 339, 1991.
- [124] R.W. Freund and N.M. Nachtigal. An implementation of the QMR method based on coupled two-term recurrences. *SIAM J. Sci. Comput.*, 15:313 – 337, 1994.
- [125] V.M. Fridman. The method of minimum iterations with minimum errors for a system of linear algebraic equations with a symmetric matrix. *USSR Comput. Math. Math. Phys.*, 2:362 – 363, 1963.
- [126] K.A. Gallivan, M.T. Heath, E. Ng, J.M. Ortega, B.W. Peyton, R.J. Plemmons, C.H. Romine, A.H. Sameh, and R.G. Voigt. *Parallel Algorithms for Matrix Computations*. SIAM, Philadelphia, 1990.
- [127] M. Genseberger and G.L.G. Sleijpen. Alternative correction equations in the Jacobi-Davidson method. *Numer. Lin. Alg. Appl.*, 6:235–253, 1999.
- [128] J.A. George and J.W. Liu. *Computer Solutions of Large Sparse Positive Definite Systems*. Prentice-Hall, Englewood Cliffs, 1981.
- [129] I. Gohberg, P. Lancaster, and L. Rodman. *Matrix Polynomials*. Academic Press, New York, 1982.
- [130] G.H. Golub and D.P. O’Leary. Some history of the conjugate gradient and Lanczos algorithms: 1948 – 1976. *SIAM Review*, 31:50 – 102, 1989.
- [131] G.H. Golub and C.F. Van Loan. *Matrix Computations*. The John Hopkins University Press, Baltimore and London, 3rd edition, 1996.
- [132] G.H. Golub and Q. Ye. Inexact inverse iteration for the eigenvalue problems. *BIT Numerical Mathematics*, 40:672 – 684, 2000.

- [133] G.H. Golub and Q. Ye. An inverse free preconditioned Krylov subspace method for symmetric generalized eigenvalue problems. *SIAM J. Sci. Comput.*, 24(1):312 – 334, 2002.
- [134] G.H. Golub, Z. Zhang, and H. Zha. Large sparse symmetric eigenvalue problems with homogeneous linear constraints: the Lanczos process with inner–outer iterations. *Lin. Alg. Appl.*, 309:289 – 306, 2000.
- [135] S. Goossens and D. Roose. Ritz and harmonic Ritz values and the convergence of FOM and GMRES. *Numer. Lin. Alg. Appl.*, 6:281 – 293, 1999.
- [136] N.I.M. Gould and J.A. Scott. Sparse approximate-inverse preconditioners using norm-minimization techniques. *SIAM J. Sci. Comput.*, 19:605 – 625, 1998.
- [137] A. Greenbaum. Comparison of splittings used with the conjugate gradient algorithm. *Numer. Math.*, 33:181 — 193, 1979.
- [138] A. Greenbaum. Estimating the attainable accuracy of recursively computed residual methods. *SIAM J. Matr. Anal. Appl.*, 18:535 — 551, 1997.
- [139] A. Greenbaum. *Iterative Methods for Solving Linear Systems*. SIAM, Philadelphia, 1997.
- [140] A. Greenbaum. Some theoretical results derived from polynomial numerical hulls of Jordan blocks. *Electr. Trans. Numer. Anal.*, 18:81 — 90, 2004.
- [141] A. Greenbaum and L. Gurvits. Max-min properties of matrix factor norms. *SIAM J. Sci. Comput.*, 15:348 – 358, 1994.
- [142] A. Greenbaum and L. Gurvits. A further note on max-min properties of matrix factor norms. *SIAM J. Sci. Comput.*, 16:496 – 499, 1995.
- [143] A. Greenbaum, V. Ptak, and Z. Strakos. Any nonincreasing convergence curve is possible for GMRES. *SIAM J. Matr. Anal. Appl.*, 17:465 – 469, 1996.
- [144] A. Greenbaum, M. Rozloznik, and Z. Strakos. Numerical behaviour of the modified Gram-Schmidt GMRES implementation. *BIT Numer. Anal.*, 37:706 – 719, 1997.
- [145] A. Greenbaum and Z. Strakos. Matrices that generate the same Krylov residual spaces. In G. Golub, A. Greenbaum, and M. Luskin, editors, *Recent Advances in Iterative Methods*, pages 95 – 118, New York, 1994. Springer.
- [146] A. Greenbaum and L.N. Trefethen. GMRES/CR and Arnoldi/Lanczos as matrix approximation problems. *SIAM J. Sci. Comput.*, 15:359 – 368, 1994.

- [147] R.G. Grimes, J.G. Lewis, and H.D. Simon. A shifted block Lanczos algorithm for solving sparse symmetric generalized eigenproblems. *SIAM J. Matrix Anal. Appl.*, 15:228–272, 1994.
- [148] M.J. Grote and T. Huckle. Parallel preconditioning with sparse approximate inverses. *SIAM J. Sci. Comput.*, 18:838 – 853, 1997.
- [149] I. Gustafsson. A class of first order factorization methods. *BIT*, 18:142 – 156, 1978.
- [150] I. Gustafsson. A class of preconditioned conjugate gradient methods applied to finite element equations — a survey on mic methods. In O. Axelsson and L.Y. Kolotilina, editors, *Preconditioned Conjugate Gradient Methods*, volume 1457 of *Lecture Notes in Mathematics*, pages 44 – 57, Berlin, Germany, 1990. Springer-Verlag.
- [151] M.H. Gutknecht. A completed theory of the unsymmetric Lanczos process and related algorithms, part I. *SIAM J. Matrix Anal. Appl.*, 13:594 — 639, 1992.
- [152] M.H. Gutknecht. Changing the norm in conjugate gradient type algorithms. *SIAM J. Numer. Anal.*, 30:40 — 56, 1993.
- [153] M.H. Gutknecht. Variants of BICGSTAB for matrices with complex spectrum. *SIAM J. Sci. Comput.*, 14:1020 — 1033, 1993.
- [154] M.H. Gutknecht. A completed theory of the unsymmetric Lanczos process and related algorithms, part II. *SIAM J. Matrix Anal. Appl.*, 15:15 — 58, 1994.
- [155] M.H. Gutknecht. Lanczos-type solvers for nonsymmetric linear systems of equations. *Acta Numerica*, 6:271 — 397, 1997.
- [156] M.H. Gutknecht and M. Hochbruck. Look-ahead Levinson and Schur-type recurrences in the Padé table. *Electronic Transactions on Numerical Analysis*, 2:104–129, 1994.
- [157] M.H. Gutknecht and M. Rozloznic. By how much can residual minimization accelerate the convergence of orthogonal residual methods. *Numer. Algor.*, 27:189 – 213, 2001.
- [158] M.H. Gutknecht and M. Rozloznic. Residual smoothing techniques: do they improve the limiting accuracy of iterative solvers? *BIT Numer. Math.*, 41:86 – 114, 2001.
- [159] M.H. Gutknecht and Z. Strakos. Accuracy of two three-term and three two-term recurrences for Krylov space solvers. *SIAM J. Matr. Anal. Appl.*, 22:213 – 229, 2000.
- [160] R. J. Guyan. Reduction of stiffness and mass matrices. *AIAA J.*, 3:380, 1965.

- [161] W. Hackbusch. *Iterative Lösung großer schwachbesetzter Gleichungssysteme*. Teubner, Stuttgart, 1991.
- [162] K. P. Hadeler. Mehrparametrische und nichtlineare Eigenwertaufgaben. *Arch. Rat. Mech. Anal.*, 27:306–328, 1967.
- [163] K. P. Hadeler. Variationsprinzipien bei nichtlinearen Eigenwertaufgaben. *Arch. Rat. Mech. Anal.*, 30:297 – 307, 1968.
- [164] K. P. Hadeler. Nonlinear eigenvalue problems. In R. Ansorge, L. Colatz, G. Hämmerlin, and W. Törnig, editors, *Numerische Behandlung von Differentialgleichungen*, ISNM 27, pages 111–129. Birkhäuser, Stuttgart, 1975.
- [165] L.A. Hageman and D.M. Young. *Applied Iterative Methods*. Academic Press, New York, 1981.
- [166] P. Hager. *Eigenfrequency Analysis. FE-Adaptivity and a Nonlinear Eigenvalue Problem*. PhD thesis, Chalmers University of Technology, Göteborg, 2001.
- [167] P. Hager and N.E. Wiberg. The rational Krylov algorithm for nonlinear eigenvalue problems. In B.H.V. Topping, editor, *Computational Mechanics for the Twenty-First Century*, pages 379 – 402. Saxe-Coburg Publications, Edinburgh, 2000.
- [168] J. Hale, editor. *Theory of functional differential equations*. Springer Verlag, Berlin, 1977.
- [169] M.R. Hestenes. Iterative methods for solving linear equations. Technical Report NAML Report 52-9, 1951. later published in: *J. Opt. Th. Appl.* 11, 323 — 334 (1971).
- [170] M.R. Hestenes. *Conjugate Direction Methods in Optimization*. Springer, New York, 1980.
- [171] M.R. Hestenes and E. Stiefel. Methods of conjugate gradients for solving linear systems. *J. Res. Nat. Bur. Standards*, 49:409 – 436, 1952.
- [172] N.J. Higham and F. Tisseur. More on pseudospectra for polynomial eigenvalue problems and applications in control theory. *Linear Algebra and its Applications*, 351 – 352:435 – 453, 2002.
- [173] N.J. Higham and F. Tisseur. Bounds for eigenvalues of matrix polynomials. *Lin. Alg. Appl.*, 358:5–22, 2003.
- [174] T. Hitziger, W. Mackens, and H. Voss. A condensation-projection method for the generalized eigenvalue problem. In H. Power and C.A. Brebbia, editors, *High Performance Computing 1*, Computational Mechanics Applications, pages 239 – 282, London, 1995. Elsevier.

- [175] M. Hochbruck and C. Lubich. Error analysis of Krylov methods in a nutshell. *SIAM J. Sci. Comput.*, 19:695 – 701, 1998.
- [176] M. Hochbruck and C. Lubich. On Krylov subspace approximations to the matrix exponential operator. *SIAM J. Numer. Anal.*, 34:1911 – 1925, 1998.
- [177] M.E. Hochstenbach and L.G.Sleijpen. Two-sided and alternating Jacobi-Davidson. *Lin. Alg. Appl.*, 358:145–172, 2003.
- [178] M.E. Hochstenbach and Y. Notay. The Jacobi–Davidson method. Technical report, 2006. to appear in GAMM–Mitteilungen.
- [179] D.Y. Hu and L. Reichel. Krylov-subspace methods for the Sylvester equation. *Lin. Alg. Appl.*, 172:283 – 313, 1992.
- [180] M. Huhtanen. A Hermitian Lanczos method for normal matrices. *SIAM J. Matr. Anal. Appl.*, 23:1092 – 1108, 2002.
- [181] W.C. Hurty. Dynamic analysis of structural systems using component modes. *AIAA Journal*, 3:678 – 685, 1965.
- [182] T.-M. Hwang, W.-W. Lin, J.-L. Liu, and W. Wang. Jacobi–Davidson methods for cubic eigenvalue problems. *Numer.Lin.Alg.Appl.*, 12:605 – 624, 2005.
- [183] T.-M. Hwang, W.-W. Lin, and V. Mehrmann. Numerical solution of quadratic eigenvalue problems with structure preserving methods. *SIAM J. Sci. Comput.*, 24:1283 – 1302, 2003.
- [184] T.-M. Hwang, W.-W. Lin, W.-C. Wang, and W. Wang. A quadratic finite difference scheme for pyramid semiconductor heterostructures with uniform mesh. Technical Report Preprints in Mathematics 2000_9, National Center for Theoretical Sciences, 2002.
- [185] I. Ipsen. Expressions and bounds for the GMRES residual. *BIT Numerical Mathematics*, 40:524 – 535, 2002.
- [186] B. Irons. Structural eigenvalue problems: Elimination of unwanted variables. *AIAA J.*, 3:961–962, 1965.
- [187] D.A. Jacobs. A generalization of the conjugate gradient method to solve complex systems. *IMA J. Numer. Anal.*, 6:447 – 452, 1986.
- [188] C. Jagels and L. Reichel. A fast minimal residual algorithm for shifted unitary matrices. *Numer. Lin. Alg. Appl.*, 1:361 – 369, 1994.
- [189] N. K. Jain and K. Singhal. On Kublanovskaya’s approach to the solution of the generalized latent value problem for functional λ -matrices. *SIAM J.Numer.Anal.*, 20:1062–1070, 1983.

- [190] N. K. Jain, K. Singhal, and K. Huseyin. On roots of functional lambda matrices. *Comput.Meth.Appl.Mech.Engrg.*, 40:277–292, 1983.
- [191] E. Jarlebring and H. Voss. Rational Krylov for nonlinear eigenproblems, an iterative projection method. *Applications of Mathematics*, 50:543 – 554, 2005.
- [192] Jr. J.E. Dennis and K. Turner. Generalized conjugate directions. *Lin. Alg. Appl.*, 88/89:187 – 209, 1987.
- [193] K.C. Jea and D.M. Young. On the effectiveness of adaptive Chebyshev acceleration for solving systems of linear equations. *J. Comput. Appl. Math.*, 24:33 — 54, 1988.
- [194] A. Jennings. *Matrix Computation for Engineers and Scientists*. Wiley, Chichester, 1977.
- [195] Z. Jia. Refined iterative algorithms based on Arnoldi’s process for large unsymmetric eigenproblems. *Linear Algebra and its Applications*, 259:1 – 23, 1997.
- [196] Z. Jia. A refined iterative algorithm based on the block Arnoldi process for large unsymmetric eigenproblems. *Linear Algebra Appl.*, 270:171–189, 1998.
- [197] O.G. Johnson, C.A. Micchelli, and G. Paul. Polynomial preconditioners for conjugate gradient calculation. *SIAM J.Numer.Anal.*, 20:362 – 376, 1983.
- [198] W. Joubert, T.H. Manteuffel, S. Parter, and S.-P. Wong. Preconditioning second-order elliptic operators: Experiments and theory. *SIAM J. Sci. Stat. Comput.*, 13:259 — 288, 1992.
- [199] W.D. Joubert. Lanczos methods for the solution of nonsymmetric systems of linear equations. *SIAM J. Matrix Anal. Appl.*, 13:926 — 943, 1992.
- [200] W.D. Joubert. On the convergence behavior of the restarted GMRES algorithm for solving nonsymmetric linear systems. *Numer. Lin. Alg. Appl.*, 1:427 — 447, 1994.
- [201] W.D. Joubert. A robust GMRES-based adaptive polynomial preconditioning algorithm for nonsymmetric linear systems. *SIAM J. Sci. Comput.*, 15:427 — 439, 1994.
- [202] E.F. Kaasschieter. Preconditioned conjugate gradients for solving singular systems. *J. Comput. Appl. Math.*, 24:265 — 275, 1988.
- [203] S. Kaniel. Estimates for some computational techniques in linear algebra. *Math. Comput.*, 20:369 — 378, 1966.

- [204] M.F. Kaplan. *Implementation of Automated Multilevel Substructuring for Frequency Response Analysis of Structures*. PhD thesis, Dept. of Aerospace Engineering & Engineering Mechanics, University of Texas at Austin, 2001.
- [205] D. Kershaw. The incomplete Cholesky-conjugate gradient method for the iterative solution of systems of linear equations. *J. Comput. Phys.*, 26:43 — 65, 1978.
- [206] D.R. Kincaid and L.J. Hayes, editors. *Iterative Methods for Large Linear Systems*, Boston, 1990. Academic Press.
- [207] D.R. Kincaid, J.R. Respass, D.M. Young, and R.G. Grimes. A fortran package for solving sparse linear systems by adaptive accelerated iterative methods. algorithm 586 itpack2c. *ACM TOMS*, 8:302 — 322, 1982.
- [208] D.R. Kincaid and D.M. Young. A brief review of the ITPACK project. *J. Comput. Appl. Math.*, 24:121 — 127, 1988.
- [209] A.V. Knyazev and K. Neymeyr. A geometric theory for preconditioned inverse iteration. III: A short and sharp convergence estimate for generalized eigenvalue problems. *Lin. Alg. Appl.*, 358:95 — 114, 2003.
- [210] A. Kropp and D. Heiserer. Efficient broadband vibro-acoustic analysis of passenger car bodies using an FE-based component mode synthesis approach. *J. Comput. Acoustics*, 11:139 — 157, 2003.
- [211] V.N. Kublanovskaya. On an application of Newton's method to the determination of eigenvalues of λ -matrices. *Dokl. Akad. Nauk. SSR*, 188:1240 — 1241, 1969.
- [212] V.N. Kublanovskaya. On an approach to the solution of the generalized latent value problem for λ -matrices. *SIAM. J. Numer. Anal.*, 7:532 — 537, 1970.
- [213] A.B.J. Kuijlaars. Convergence analysis of Krylov subspace iterations with methods from potential theory. *SIAM Review*, 48:3 — 40, 2006.
- [214] Y.-L. Lai, K.-Y. Lin, and W.-W. Lin. An inexact inverse iteration for large sparse eigenvalue problems. *Numer. Lin. Alg. Appl.*, 4:425 — 437, 1997.
- [215] P. Lancaster. *Lambda-matrices and Vibrating Systems*. Dover Publications, Mineola, New York, 2002.
- [216] C. Lanczos. An iteration method for the solution of the eigenvalue problem of linear differential and integral operators. *J. Res. Nat. Bur. Stand.*, 45:255 — 282, 1950.
- [217] C. Lanczos. Solution of systems of linear equations by minimized iteration. *J. Res. Nat. Bur. Stand.*, 49:33 — 53, 1952.

- [218] H. Langer. Über stark gedämpfte Scharen im Hilbertraum. *J. Math. Mech.*, 17:685 – 705, 1968.
- [219] R. B. Lehoucq and K. Meerbergen. Using generalized cayley transformation within an inexact rational krylov sequence method. *SIAM J. Matrix Anal. Appl.*, 20(1):131–148, 1998.
- [220] R. B. Lehoucq, D. C. Sorensen, and C. Yang. *ARPACK USERS GUIDE : Solution of large scale eigenvalue problems by implicitly restarted Arnoldi methods*. SIAM, Philadelphia, 1998.
- [221] R.B. Lehoucq. *Analysis and implementation of an implicitly restarted Arnoldi iteration*. PhD thesis, Rice University, Houston, 1995.
- [222] R.B. Lehoucq and D.C. Sorensen. Deflation techniques for an implicitly restarted arnoldi iteration. *SIAM J. Matr. Anal. Appl.*, pages 789–821, 1996.
- [223] R.-C. Li. Accuracy of computed eigenvectors via optimizing a Rayleigh quotient. *BIT Numerical Mathematics*, 44:585 – 593, 2004.
- [224] D.G. Luenberger. The conjugate residual method for constrained minimization problems. *SIAM J. Numer. Math.*, 7:390–398, 1970.
- [225] D.S. Mackey, N. Mackey, C. Mehl, and V. Mehrmann. Palindromic polynomial eigenvalue problems: Good vibrations from good linearizations. Technical report, TU Berlin, Inst. f. Mathematik, Berlin, Germany, 2004. To appear in SIAM J. Matr. Anal. Appl.
- [226] D.S. Mackey, N. Mackey, C. Mehl, and V. Mehrmann. Vector spaces of linearizations for matrix polynomials. Technical report, TU Berlin, Inst. f. Mathematik, Berlin, Germany, 2004. To appear in SIAM J. Matr. Anal. Appl.
- [227] A.E. Maiman, Ico Babuska, and H.C. Elman. A note on conjugate gradient convergence. *Numer. Math.*, 76:209 — 230, 1997.
- [228] A.E. Maiman and S. Engelberg. A note on conjugate gradient convergence, Part II. *Numer. Math.*, 85:665 — 683, 2002.
- [229] L. Mansfield. On the use of deflation to improve the convergence of the conjugate graident iteration. *Comm. Appl. Numer. Meth.*, 4:151 – 156, 1988.
- [230] T.A. Manteuffel. The Chebyshev iteration for nonsymmetric linear systems. *Numer. Math.*, 28:307 — 327, 1977.
- [231] T.A. Manteuffel. An incomplete factorization technique for positive definite linear systems. *Math. Comput.*, 34:473 — 497, 1980.

- [232] T.A. Manteuffel and J. Otto. On the roots of orthogonal polynomials and residual polynomials associated with a conjugate gradient method. *Numer. Lin. Alg. Appl.*, 1:449 — 475, 1994.
- [233] M. Markiewicz and H. Voss. A local restart procedure for iterative projection methods for nonlinear symmetric eigenproblems. In A. Handlovičová, Z. Kriva, K. Mikula, and D. Sevcovic, editors, *Algoritmy 2005, 17th Conference on Scientific Computing, Vysoké Tatry - Podbanske, Slovakia 2005*, pages 212 – 221, Bratislava, Slovakia, 2005. Slovak University of Technology.
- [234] M. Markiewicz and H. Voss. Electronic states in three dimensional quantum dot/wetting layer structures. In M. Gavrilova et al. (eds.), editor, *Proceedings of ICCSA 2006*, volume 3980 of *Lecture Notes on Computer Science*, pages 684 – 693, Berlin, 2006. Springer Verlag.
- [235] L. Mazurenko and H. Voss. Low rank rational perturbations of linear symmetric eigenproblems. *Z. Angew. Math. Mech.*, 86:606 – 616, 2006.
- [236] K. Meerbergen. Locking and restarting quadratic eigenvalue solvers. *SIAM J. Sci. Comput.*, 22:1814 – 1839, 2001.
- [237] K. Meerbergen. The solution of parametrized symmetric linear systems. *SIAM J. Matr. Anal. Appl.*, 24:1038 – 1059, 2003.
- [238] K. Meerbergen and D. Roose. The restarted Arnoldi method applied to iterative linear system solvers for the computation of rightmost eigenvalues. *SIAM J. Matr. Anal. Appl.*, 18:1–20, 1997.
- [239] V. Mehrmann and H. Voss. Nonlinear eigenvalue problems: A challenge for modern eigenvalue methods. *GAMM Mitteilungen*, 27:121 – 152, 2004.
- [240] V. Mehrmann and D. Watkins. Structure-preserving methods for computing eigenpairs of large sparse skew-Hamiltonian/Hamiltonian pencils. *SIAM J. Sci. Comput.*, 22:1905 – 1925, 2001.
- [241] V. Mehrmann and D. Watkins. Polynomial eigenvalue problems with Hamiltonian structure. *Electronic Transactions on Numerical Analysis*, 13:106 – 118, 2002.
- [242] J.A. Meijerink and H.A. van der Vorst. An iterative solution method for linear systems of which the coefficient matrix is a symmetric m-matrix. *Math. Comp.*, 31:148 — 162, 1977.
- [243] G.A. Meurant. The computation of bounds for the norm of the error in the conjugate gradient algorithm. *Numer. Alg.*, 16:77 – 87, 1994.
- [244] G.A. Meurant. *Solution of Large Linear Systems*. North-Holland, Amsterdam, 1999.

- [245] R. B. Morgan. Davidson's method and preconditioning for generalized eigenvalue problems. *J. Comput. Phys.*, 89:241 – 245, 1990.
- [246] R. B. Morgan. Generalizations of Davidson's method for computing eigenvalues of large nonsymmetric matrices. *J. Comput. Phys.*, 101:287 – 291, 1992.
- [247] R. B. Morgan. A restarted GMRES method augmented with eigenvectors. *SIAM J. Matr. Anal. Appl.*, 16:1154 – 1171, 1995.
- [248] R. B. Morgan. Implicitly restarted GMRES and Arnoldi methods for nonsymmetric systems of equations. *SIAM J. Matr. Anal. Appl.*, 21:1112 – 1135, 2000.
- [249] R. B. Morgan. GMRES with deflated restarting. *SIAM J. Sci. Comput.*, 24:20 – 37, 2002.
- [250] R. B. Morgan and D. S. Scott. Generalizations of Davidson's method for computing eigenvalues of sparse symmetric matrices. *SIAM J. Sci. Stat. Comput.*, pages 817–825, 1986.
- [251] R.B. Morgan. Computing interior eigenvalues of large matrices. *Lin. Alg. Appl.*, 154/156:289 – 309, 1991.
- [252] R.B. Morgan. On restarting the Arnoldi method for large nonsymmetric eigenvalue problems. *Math. Comp.*, pages 1213–1230, 1996.
- [253] R.B. Morgan. Preconditioning eigenvalues and some comparison of solvers. *J. Comput. Appl. Math.*, 123:101 –116, 2000.
- [254] R.B. Morgan and M. Zeng. Harmonic projection methods for large nonsymmetric eigenvalue problems. *Numer. Lin. Alg. Appl.*, 5:33 –55, 1998.
- [255] R.B. Morgan and M. Zeng. A harmonic restarted Arnoldi algorithm for calculating eigenvalues and determining multiplicity. Technical report, 2003. To appear in *Lin. Alg. Appl.*
- [256] N. Munksgaard. Solving sparse symmetric sets of linear equations by preconditioned conjugate gradients. *ACM TOMS*, 6:206 — 219, 1980.
- [257] C.W. Murray, S.C. Racine, and E. R. Davidson. Improved algorithms for the lowest few eigenvalues and associated eigenvectors of large matrices. *J. Comput. Phys.*, 103:382 – 389, 1992.
- [258] N.M. Nachtigal. *A look-ahead variant of the Lanczos algorithm and its application to the quasi-minimal residual method for non-Hermitian linear systems*. PhD thesis, MIT, Cambridge, 1991.
- [259] N.M. Nachtigal, S.C. Reddy, and L.N. Trefethen. How fast are nonsymmetric matrix iterations? *SIAM J. Matrix Anal. Appl.*, 13:778 — 795, 1992.

- [260] N.M. Nachtigal, L. Reichel, and L.N. Trefethen. A hybrid GMRES algorithm for nonsymmetric linear systems. *SIAM J. Matrix Anal. Appl.*, 13:796 — 825, 1992.
- [261] U. Nackenhorst. The ALE–formulation of bodies in rolling contact. Theoretical foundations and finite element approach. *Comput. Meth. Appl. Mech. Engrg.*, 193:4299 – 4322, 2004.
- [262] K. Neymeyr. A geometric theory for preconditioned inverse iteration. I: Extrema of the Rayleigh quotient. *Lin. Alg. Appl.*, 332:61 – 85, 2001.
- [263] K. Neymeyr. A geometric theory for preconditioned inverse iteration. II: Convergence estimates. *Lin. Alg. Appl.*, 332:97 – 104, 2001.
- [264] K. Neymeyr. A geometric theory for preconditioned inverse iteration applied to a subspace. *Math. Comp.*, 71:197 – 216, 2002.
- [265] K. Neymeyr. A note on inverse iteration. *Numer. Lin. Alg. Appl.*, 12:1 – 8, 2005.
- [266] W. Niethammer. Relaxation bei komplexen matrizen. *Math. Zeitschr.*, 64:34 — 40, 1964.
- [267] W. Niethammer. The SOR method on parallel computers. *Numer. Math.*, 56:247 — 254, 1989.
- [268] Y. Notay. Solving positive (semi) definite linear systems by preconditioned iterative methods. In O. Axelsson and L.Y. Kolotilina, editors, *Preconditioned Conjugate Gradient Methods*, volume 1457 of *Lecture Notes in Mathematics*, pages 105 — 125, Berlin, Germany, 1990. Springer-Verlag.
- [269] Y. Notay. Flexible conjugate gradients. *SIAM J. Sci. Comp.*, 22:1444 – 1460, 2000.
- [270] Y. Notay. Combination of Jacobi–Davidson and conjugate gradients for the partial symmetric eigenproblem. *Numer. Lin. Alg. Appl.*, 9:21 – 44, 2002.
- [271] Y. Notay. Robust parameter free algebraic multilevel preconditioning. *Numer. Lin. Alg. Appl.*, 9:409 – 428, 2002.
- [272] Y. Notay. Convergence analysis of inexact Rayleigh quotient iteration. *SIAM J. Matrix Anal. Appl.*, 24:627 – 644, 2003.
- [273] Y. Notay. Aggregation-based algebraic multilevel preconditioning. Technical report, 2005. to appear in *SIAM J. Matrix Anal. Appl.*
- [274] Y. Notay. Algebraic multigrid and algebraic multilevel methods: a theoretical comparison. *Numer. Lin. Alg. Appl.*, 12:419 – 451, 2005.

- [275] Y. Notay. Inner iterations in eigenvalue solvers. Technical Report GANMN 05-01, Université Libre de Bruxelles, 2005.
- [276] Y. Notay. Is Jacobi–Davidson faster than Davidson ? *SIAM J. Matrix Anal. Appl.*, 26:522 – 543, 2005.
- [277] B. Nour-Omid, B. N. Parlett, T. Ericson, and P. S. Jensen. How to implement the spectral transformation. *Math. Comp.*, 48:663 – 673, 1987.
- [278] D.P. O’Leary. The block conjugate gradient algorithm and related methods. *Lin. Alg. Appl.*, 29:293 — 322, 1980.
- [279] J.M. Ortega. Efficient implementation of certain iterative methods. *SIAM J. Sci. Stat. Comput.*, 9:882 — 891, 1988.
- [280] J.M. Ortega. *Introduction to Parallel and Vector Solution of Linear Systems*. Plenum Press, New York, 1988.
- [281] M.R. Osborne. A new method for the solution of eigenvalue problems. *Comput. J.*, 7:228–232, 1964.
- [282] M.R. Osborne and S. Michelson. The numerical solution of eigenvalue problems in which the eigenvalue parameter appears nonlinearly, with an application to differential equations. *Comput. J.*, 7:66–71, 1964.
- [283] A. Ostrowski. Über die determinanten mit überwiegender hauptdiagonale. *Commentari Mathematici Helvetici*, 10:69 — 96, 1937/38.
- [284] A.M. Ostrowski. On the convergence of the Rayleigh quotient iteration for the computation of the characteristic roots and vectors iii. *Arch. Rational Mech. Anal.*, 3:325–340, 1959.
- [285] C.C Paige. *The computation of eigenvalues and eigenvectors of very large sparse matrices*. PhD thesis, Institute of Computer Science, London University, 1971.
- [286] C.C. Paige. Practical use of the symmetric Lanczos process with reorthogonalization. *BIT*, 10:183 – 195, 1971.
- [287] C.C. Paige. Computational variants of the Lanczos method for eigenproblem. *J. Inst. Math. Appl.*, 10:373 – 381, 1972.
- [288] C.C. Paige. Bidiagonalization of matrices and solution of linear equations. *SIAM J. Numer. Anal.*, 11:197 — 209, 1974.
- [289] C.C. Paige. Accuracy and effectiveness of the Lanczos algorithm for symmetric matrix. *Lin. Alg. Appl.*, 34:235 – 258, 1976.
- [290] C.C. Paige, B.N. Parlett, and H.A. van der Vorst. Approximate solutions and eigenvalue bounds from Krylov subspaces. *Numer. Lin. Alg. Appl.*, 1:1 – 7, 1993.

- [291] C.C. Paige and M.A. Saunders. Solution of sparse indefinite systems of linear equations. *SIAM J. Numer. Anal.*, 12:617 — 629, 1975.
- [292] C.C. Paige and M.A. Saunders. LSQR: An algorithm for sparse linear equations and sparse least squares. *ACM TOMS*, 8:43 — 71, 1982.
- [293] C.C. Paige and Z. Strakos. Residual and backward error bounds in minimum residual Krylov subspace methods. *SIAM J. Sci. Comput.*, 23:1899 — 1924, 2002.
- [294] B.N. Parlett. Reduction to tridiagonal form and minimal realization. *SIAM J. Matr. Anal. Appl.*, 13:567 — 593, 19.
- [295] B.N. Parlett. The rayleigh quotient iteration and some generalizations for nonnormal matrices. *Math. Comp.*, 28:679 — 693, 1974.
- [296] B.N. Parlett. A new look at the Lanczos algorithm for solving symmetric systems of linear equations. *Lin. Alg. Appl.*, 29:323 — 346, 1980.
- [297] B.N. Parlett. *The symmetric eigenvalue problem*. SIAM, Philadelphia, 1998.
- [298] B.N. Parlett and H.-C. Chen. Use of indefinite pencils for computing damped natural modes. *Lin. Alg. Appl.*, 140:53 — 88, 1990.
- [299] B.N. Parlett and D.S. Scott. The Lanczos algorithm with selective orthogonalization. *Mathematics of Computation*, 33(145):217 — 238, 1979.
- [300] B.N. Parlett, D.R. Taylor, and Z.A. Liu. A look-ahead Lanczos algorithm for unsymmetric matrices. *Math. Comput.*, 44:105 — 124, 1985.
- [301] S. Pissanetzky. *Sparse Matrix Technology*. Academic Press, London, 1984.
- [302] J.S. Przemieniecki. *Theory of Matrix Structural Analysis*. McGraw-Hill, New York, 1968.
- [303] A. Quarteroni and A. Valli. *Domain Decomposition Methods for Partial Differential Equations*. Clarendon Press, Oxford, 1999.
- [304] A.C.M. Ran and L. Rodman. Stability of invariant lagrangian subspaces i. In I. Gohberg, editor, *Operator Theory: Advances and Applications*, volume 32, pages 181 — 218, Basel, 1988. Birkhäuser.
- [305] A.C.M. Ran and L. Rodman. Stability of invariant lagrangian subspaces ii. In H. Dym, S. Goldberg, M.A. Kashoek, and P. Lancaster, editors, *Operator Theory: Advances and Applications*, volume 40, pages 391 — 425, Basel, 1989. Birkhäuser.
- [306] U. Rde. On the multilevel adaptive iterative method. *SIAM J. Sci. Comput.*, 15:577 — 586, 1994.

- [307] L. Reichel and Q. Ye. Breakdown-free GMRES for singular systems. *SIAM J. Matr. Anal. Appl.*, 26:1001 – 1021, 2005.
- [308] J.K. Reid, editor. *Large Sparse Sets of Linear Equations*, London, 1971. Academic Press.
- [309] J.K. Reid. On the method of conjugate gradients for the solution of large sparse systems of linear equations. In J.K. Reid, editor, *Large Sparse Sets of Linear Equations*, pages 231 — 254, London, 1971. Academic Press.
- [310] K. Rektorys. *Variationsmethoden in Mathematik, Physik und Technik*. Carl Hanser Verlag, München, 1984.
- [311] K.J. Ressel and M.H. Gutknecht. QMR-smoothing for Lanczos-type product methods based on three-term recurrences. *SIAM J. Sci. Comput.*, 19:55 – 73, 1998.
- [312] E.H. Rogers. A minimax theory for overdamped systems. *Arch. Rat. Mech. Anal.*, 16:89 – 96, 1964.
- [313] E.H. Rogers. Variational properties of nonlinear spectra. *J. Math. Mech.*, 18:479 – 490, 1968.
- [314] K. Rothe. *Lösungsverfahren für nichtlineare Matrixeigenwertaufgaben mit Anwendungen auf die Ausgleichselementmethode*. Verlag an der Lottbek, Ammersbek, 1989.
- [315] A. Ruhe. Algorithms for the nonlinear eigenvalue problem. *SIAM J. Numer. Anal.*, 10:674 – 689, 1973.
- [316] A. Ruhe. Rational Krylov, a practical algorithm for large sparse nonsymmetric matrix pencils. *SIAM J. Sci. Comput.*, 19(5):1535–1551, 1998.
- [317] A. Ruhe. A rational Krylov algorithm for nonlinear matrix eigenvalue problems. *Zapiski Nauchnyh Seminarov POMI*, 268:176 – 180, 2000.
- [318] A. Ruhe. Rational Krylov for large nonlinear eigenproblems. In J. Dongarra, K. Madsen, and J. Wasniewski, editors, *Applied Parallel Computing. State of the Art in Scientific Computing*, volume 3732 of *Lecture Notes on Computer Science*, pages 357 – 363, Berlin, 2006. Springer Verlag.
- [319] H. Rutishauser. Theory of gradient methods. In M. Engeli, Th. Ginsburg, H. Rutishauser, and E. Stiefel, editors, *Preconditioned Conjugate Gradient Methods*, pages 24 — 49, Basel, 1959. Birkhuser.
- [320] Y. Saad. Krylov subspace methods for solving large unsymmetric linear systems. *Math. Comput.*, 37:105 — 126, 1981.
- [321] Y. Saad. The Lanczos biorthogonalization algorithm and other oblique projection methods for solving large unsymmetric systems. *SIAM J. Numer. Anal.*, 19:485 – 506, 1982.

- [322] Y. Saad. Iterative solution of indefinite symmetric linear systems by methods using orthogonal polynomials over two disjoint intervals. *SIAM J. Numer. Anal.*, 20:784 — 811, 1983.
- [323] Y. Saad. Projection methods for solving large sparse eigenvalue problems. In B. Kagstroem and A. Ruhe, editors, *Matrix Pencils*, Lect. Notes Math. 973, pages 121 – 144. Springer, Berlin, 1983.
- [324] Y. Saad. Chebyshev acceleration techniques for solving nonsymmetric eigenvalue problems. *Math. Comput.*, 42:567 — 588, 1984.
- [325] Y. Saad. Practical use of some Krylov subspace methods for solving indefinite and unsymmetric linear systems. *SIAM J. Sci. Stat. Comput.*, 5:203 — 228, 1984.
- [326] Y. Saad. Practical use of polynomial preconditioning for the conjugate gradient method. *SIAM J. Sci. Stat. Comput.*, 6:865 — 881, 1985.
- [327] Y. Saad. Least squares polynomials in the complex plane and their use for solving sparse nonsymmetric linear systems. *SIAM J. Numer. Anal.*, 24:155 — 169, 1987.
- [328] Y. Saad. Preconditioning techniques for nonsymmetric and indefinite linear systems. *J. Comput. Appl. Math.*, 24:89 — 105, 1988.
- [329] Y. Saad. Krylov subspace methods on supercomputers. *SIAM J. Sci. Stat. Comput.*, 10:1200 — 1232, 1989.
- [330] Y. Saad. *Numerical Methods for Large Eigenvalue Problems*. Manchester University Press, John Wiley & Sons, New York, Brisbane, Toronto, 1992.
- [331] Y. Saad. A flexible inner-outer preconditioned GMRES algorithm. *SIAM J. Sci. Comput.*, 14:461 — 469, 1993.
- [332] Y. Saad. Analysis of augmented Krylov subspace methods. *SIAM J. Matr. Anal. Appl.*, 18:435 — 449, 1997.
- [333] Y. Saad. *Iterative Methods for Sparse Linear Systems*. SIAM, Philadelphia, 2nd edition, 2003.
- [334] Y. Saad and M.H. Schultz. Conjugate gradient-like algorithms for solving nonsymmetric linear systems. *Math. Comput.*, 44:417 — 424, 1985.
- [335] Y. Saad and M.H. Schultz. GMRES: A generalized minimal residual algorithm for solving nonsymmetric linear systems. *SIAM J. Sci. Stat. Comput.*, 7:856 — 869, 1986.
- [336] Y. Saad and H.A. van der Vorst. Iterative solution of linear systems in the 20th century. *J. Comput. Appl. Math.*, 123:1 — 33, 2000.

- [337] Y. Saad and K. Wu. DQGMRES: a direct quasi-minimal residual algorithm for solving nonsymmetric linear systems. *Numer. Lin. Alg. Appl.*, 3:329 — 343, 1996.
- [338] M.A. Saunders, H.D. Simon, and E.L. Yips. Two conjugate gradient type methods for unsymmetric linear equations. *SIAM J. Numer. Anal.*, 25:927 — 940, 1988.
- [339] T. Schlick. Modified Cholesky factorization for sparse preconditioners. *SIAM J. Sci. Comput.*, 14:424 — 445, 1993.
- [340] H.D. Simon. *The Lanczos algorithm for solving symmetric linear systems*. PhD thesis, Univ. of California, Berkeley, 1982.
- [341] H.D. Simon. Analysis of the symmetric Lanczos algorithm with reorthogonalization methods. *Lin. Alg. Appl.*, 61:101 — 131, 1984.
- [342] H.D. Simon. The Lanczos algorithm with partial reorthogonalization. *Math. Comp.*, 42:115 — 136, 1984.
- [343] V. Simoncini. A new variant of restarted GMRES. *Numer. Lin. Alg. Appl.*, 6:61 — 77, 1999.
- [344] V. Simoncini. Remarks on non-linear spectral perturbation. *BIT Numerical Mathematics*, 39:350 — 365, 1999.
- [345] V. Simoncini. On the convergence of restarted Krylov subspace methods. *SIAM J. Matr. Anal. Appl.*, 22:430 — 452, 2000.
- [346] V. Simoncini. Restarted full orthogonalization method for shifted linear systems. *BIT Numerical Mathematics*, 43:459 — 466, 2003.
- [347] V. Simoncini. Variable accuracy of matrix-vector products in projection methods for eigencomputation. *SIAM J. Numer. Anal.*, 43:1155 — 1174, 2005.
- [348] V. Simoncini and L. Eldén. Inexact Rayleigh quotient-type methods for eigenvalue computations. *BIT Numerical Mathematics*, 42:159 — 182, 2002.
- [349] V. Simoncini and E. Gallopoulos. An iterative method for nonsymmetric systems with multiple right-hand sides. *SIAM J. Sci. Comput.*, 16:917–933, 1995.
- [350] V. Simoncini and D.B. Szyld. Recent developments in Krylov subspace methods for linear systems. Technical report, 2005. To appear in *Lin. Alg. Appl.*
- [351] V. Simoncini and D.B. Szyld. Relaxed Krylov subspace approximation. Technical report, 2005. Submitted to the Proceedings of the 2005 GAMM Annual Meeting.

- [352] G. Sleijpen, H.A. van der Vorst, and D.R. Fokkema. Bi-CGSTAB(ℓ) and other hybrid Bi-CG methods. *Numerical Algorithms*, 7:75 – 109, 1994.
- [353] G. Sleijpen, H.A. van der Vorst, and M. van Gijzen. Quadratic eigenproblems are no problem. *SIAM News*, 29:8–9, 13, 1996.
- [354] G. L. G. Sleijpen, H. A. Van der Vorst, and E. Meijerink. Efficient expansion of subspaces in the jacobi-davidson method for standard and generalized eigenproblems. *Electronic Transactions on Numerical Analysis, Kent State University*, 7:75–89, 1998.
- [355] G.L. Sleijpen, G.L. Booten, D.R. Fokkema, and H.A. van der Vorst. Jacobi-Davidson type methods for generalized eigenproblems and polynomial eigenproblems. *BIT Numerical Mathematics*, 36:595 – 633, 1996.
- [356] G.L. Sleijpen and H.A. van der Vorst. The Jacobi–Davidson method for eigenproblems and its relation with accelerated inexact newton schemes. In S.D. Margenov and P.S. Vassilevski, editors, *Iterative Methods in Linear Algebra*, volume 3 of *IMACS Series in Computational and Applied Mathematics*, pages 377–389, New Brunswick, 1996. IMACS.
- [357] G.L.G. Sleijpen and D.R. Fokkema. BiCGSTAB(ℓ) for linear equations involving unsymmetric matrices with complex spectrum. *Electr. Trans. Numer. Anal.*, 1:11 – 32, 1993.
- [358] G.L.G. Sleijpen and J. van den Eshof. Accurate approximations to eigenpairs using the harmonic Rayleigh-Ritz method. *Linear Alg. Appl.*, 358:115–137, 2003.
- [359] G.L.G. Sleijpen, J. van den Eshof, and P. Smit. Optimal a priori error bounds for the Rayleigh-Ritz method. *Math. Comp.*, 72(242):677–684, 2003.
- [360] G.L.G. Sleijpen, J. van den Eshof, and M.B. van Gijzen. Restarted GMRES with inexact matrix-vector products. In Z. Li, L. Vulkov, and J. Ważniewski, editors, *Numerical Analysis and Its Applications: Third International Conference, NAA 2004, Rousse, Bulgaria, June 29-July 3, 2004*, volume 3401 of *Lecture Notes in Computer Science*, pages 494–502, Heidelberg, Germany, 2005. Springer-Verlag.
- [361] G.L.G. Sleijpen and H.A. van der Vorst. A Jacobi-Davidson iteration method for linear eigenvalue problems. *SIAM J. Matr. Anal. Appl.*, 17:401–425, 1996.
- [362] G.L.G. Sleijpen and F.W. Wubs. Effective preconditioning techniques for eigenvalue problems. Technical Report 1117, Dep. of Mathem., Universiteit Utrecht, 1999.

- [363] G.L.G. Sleijpen and F.W. Wubs. Exploiting multilevel preconditioning techniques in eigenvalue computations. *SIAM J. Sci. Comput.*, 25(4):1249–1272, 2003.
- [364] P. Smit. Inexact iterations for the approximation of eigenvalues and eigenvectors. Research Memorandum 724, Tilburg University, Faculty of Economics and Business Administration, 1996. available at <http://ideas.repec.org/p/dgr/kubrem/1996724.html>.
- [365] P. Smit and M.H.C. Paardekooper. The effects of inexact solvers in algorithms for symmetric eigenvalue problems. *Lin. Alg. Appl.*, 287:337–357, 1999.
- [366] P. Sonneveld. CGS, a fast lanczos type solver for nonsymmetric linear systems. *SIAM J. Sci. Stat. Comput.*, 10:36 – 52, 1989.
- [367] D. C. Sorensen. Truncated qz methods for large scale generalized eigenvalue problems. *Electronic Transactions on Numerical Analysis, Kent State University*, 7:141–162, 1998.
- [368] D.C. Sorensen. Implicit application of polynomial filters in a K-step Arnoldi method. *SIAM J. Matr. Anal. Appl.*, 13:357–385, 1992.
- [369] D.C. Sorensen and C. Yang. A truncated RQ-iteration for large scale eigenvalue calculations. *SIAM J. Matr. Anal. Appl.*, 19:1045 – 1073, 1998.
- [370] R.V. Southwell. *Relaxation Methods in Theoretical Physics*. Clarendon Press, Oxford, 1946.
- [371] A. Stathopoulos. A case for a biorthogonal Jacobi–Davidson method: restarting and correction equation. *SIAM J. Matr. Anal. Appl.*, 24:238 – 259, 2003.
- [372] A. Stathopoulos and Y. Saad. Restarting techniques for the (Jacobi-)Davidson symmetric eigenvalue methods. *Electronic Transactions on Numerical Analysis, Kent State University*, 7:163–181, 1998.
- [373] A. Stathopoulos, Y. Saad, and K. Wu. Dynamic thick restarting of the Davidson, and the implicitly restarted Arnoldi methods. *SIAM J. Sci. Comput.*, 19:227 – 245, 1998.
- [374] A. Stathopoulos, K. Wu, and Y. Saad. Dynamic thick restarting of the Davidson, and the implicitly restarted Arnoldi methods. *SIAM J. Sci. Comput.*, 19:227 – 245, 1998.
- [375] E. Stiefel. Über einige Methoden der Relaxationsrechnung. *Z. Angew. Math. Phys.*, 3:1 – 33, 1952.
- [376] E. Stiefel. Relaxationsmethoden bester Strategie zur Lösung linearer Gleichungssysteme. *Commentarii Mathematici Helvetici*, 29:157–179, 1955.

- [377] J. Stör. Solution of large linear systems of equations by conjugate gradient type methods. In A. Bachem, M. Grtschel, and B. Korte, editors, *Mathematical Programming. The State of the Art*, pages 540 — 565, Berlin, 1983. Springer-Verlag.
- [378] J. Stör and R. Freund. On the solution of large indefinite systems of linear equations by conjugate gradient methods. In R. Glowinski and J.L. Lions, editors, *Computing Methods in Applied Sciences and Engineering V*, pages 35 — 53. North-Holland, Amsterdam, 1982.
- [379] Z. Strakos and P. Tichy. On error estimation in the conjugate gradient method and why it works in finite precision arithmetics. *Elec. Trans. Numer. Anal.*, 13:56 – 80, 2002.
- [380] Z. Strakos and P. Tichy. Error estimation in preconditioned conjugate gradients. *BIT Numerical Mathematics*, 45:798 – 817, 2005.
- [381] R. Stryczek, A. Kropp, S. Wegner, and F. Ihlenburg. Vibro-acoustic computations in the mid-frequency range: efficiency, evaluation, and validation. In *Proceedings of the International Conference on Noise & Vibration Engineering, ISMA 2004*, KU Leuven, 2004. CD-ROM ISBN 90-73802-82-2.
- [382] F. Tisseur and N.J. Higham. Structured pseudospectra for polynomial eigenvalue problems, with applications. *SIAM J. Matrix Anal. Appl.*, 23(1):187 – 208, 2001.
- [383] F. Tisseur and K. Meerbergen. The quadratic eigenvalue problem. *SIAM Review*, 43:235 – 286, 2001.
- [384] K-C. Toh. GMRES vs. ideal GMRES. *SIAM J. Matr. Anal. Appl.*, 18:30 – 36, 1997.
- [385] K-C. Toh and L.N. Trefethen. Calculation of pseudospectra by the Arnoldi iteration. *SIAM J. Sci. Comput.*, 17:1–15, 1996.
- [386] C.H. Tong, T.F. Chan, and C.C.J. Kuo. Multilevel filtering preconditioners: Extensions to more general elliptic problems. *SIAM J. Sci. Stat. Comput.*, 13:227 — 242, 1992.
- [387] L.N. Trefethen. Computation of pseudospectra. *Acta Numerica*, 8:247–295.
- [388] L.N. Trefethen. Pseudospectra of linear operators. *SIAM Review*, 39:383–406.
- [389] L.N. Trefethen and III D. Bau. *Numerical Linear Algebra*. SIAM, Philadelphia, 1997.
- [390] L.N. Trefethen and M. Embree. *Spectra and Pseudospectra*. Princeton University Press, Princeton, 2005.

- [391] K. Turner and H.F. Walker. Efficient high accuracy solution with GMRES(m). *SIAM J. Sci. Stat. Comput.*, 13:815 – 825, 1992.
- [392] R.E.L. Turner. Some variational principles for nonlinear eigenvalue problems. *J. Math. Anal. Appl.*, 17:151 – 160, 1967.
- [393] R.E.L. Turner. A class of nonlinear eigenvalue problems. *J. Func. Anal.*, 7:297 – 322, 1968.
- [394] J. van den Eshof and G.L.G. Sleijpen. Accurate conjugate gradient methods for families of shifted systems. *Appl. Numer. Math.*, 49/1:17–37, 2004.
- [395] J. van den Eshof and G.L.G. Sleijpen. Inexact Krylov subspace methods for linear systems. *SIAM J. Matrix Anal. Appl.*, 26:125–153, 2004.
- [396] J. van den Eshof, G.L.G. Sleijpen, and M.B. van Gijzen. Relaxation strategies for nested Krylov methods. *J. Comput. Appl. Math.*, 177:347–365, 2005.
- [397] A. van der Sluis and H.A. van der Vorst. The rate of convergence of conjugate gradients. *Numer. Math.*, 48:453 – 560, 1986.
- [398] H.A. van der Vorst. A vectorizable variant of some ICCG methods. *SIAM J. Sci. Stat. Comput.*, 3:350 — 356, 1982.
- [399] H.A. van der Vorst. High performance preconditioning. *SIAM J. Sci. Stat. Comput.*, 10:1174 — 1185, 1989.
- [400] H.A. van der Vorst. The convergence behaviour of preconditioned CG and CG-S. In O. Axelsson and L.Y. Kolotilina, editors, *Preconditioned Conjugate Gradient Methods*, volume 1457 of *Lecture Notes in Mathematics*, pages 126 — 136, Berlin, Germany, 1990. Springer-Verlag.
- [401] H.A. van der Vorst. BI-CGSTAB: A fast and smoothly converging variant of BI-CG for the solution of nonsymmetric linear systems. *SIAM J. Sci. Stat. Comput.*, 13:631 — 644, 1992.
- [402] H.A. van der Vorst. *Iterative Krylov Methods for Large Linear Systems*. Cambridge University Press, Cambridge, 2003.
- [403] H.A. van der Vorst and K. Dekker. Conjugate gradient type methods and preconditioning. *J. Comput. Appl. Math.*, 24:73 — 87, 1988.
- [404] H.A. van der Vorst and G.L.G. Sleijpen. A parallelizable and fast algorithm for very large generalized eigenproblems. In J. Wasniewski, J. Dongarra, K. Madsen, and D. Olesen, editors, *Applied Parallel Computing, Proceedings of PARA '96*, volume 1184 of *Lecture Notes in Computer Science*, pages 686 – 696. Springer Verlag, Berlin, 1996.
- [405] H.A. van der Vorst and C. Wuijk. GMRESR: a family of nested GMRES methods. *Numer. Lin. Alg. Appl.*, 1:369 – 386, 1994.

- [406] M.B. van Gijzen. The parallel computation of the smallest eigenpair of an acoustic problem with damping. *Int. J. Numer. Meth. Engng.*, 45:765–777, 1999.
- [407] R.S. Varga. *Matrix Iterative Analysis*. Prentice Hall, Englewood Cliffs, 1962.
- [408] R.S. Varga. *Matrix Iterative Analysis*. Springer, Berlin, 2000. Revised version of the 1962 edition.
- [409] P.K.W. Vinsome. ORTHOMIN, an iterative method for solving sparse sets of simultaneous linear equations. In *4th Symposium of Numerical Simulation of Reservoir Performance. Society of Petroleum Engineers of the AIME, Los Angeles 1976*, 1976.
- [410] H. Voss. An error bound for eigenvalue analysis by nodal condensation. In J. Albrecht, L. Collatz, and W. Velte, editors, *Numerical Treatment of Eigenvalue Problems, Vol. 3*, volume 69 of *International Series on Numerical Mathematics*, pages 205–214, Basel, 1984. Birkhäuser.
- [411] H. Voss. A new justification of finite dynamic element methods. In J. Albrecht, L. Collatz, W. Velte, and W. Wunderlich, editors, *Numerical Treatment of Eigenvalue Problems, Vol. 4*, volume 83 of *ISNM*, pages 232 – 242, Basel, 1987. Birkhäuser.
- [412] H. Voss. Free vibration analysis by finite dynamic element methods. In I. Marek, editor, *Proceedings of the Second International Symposium on Numerical Analysis*, volume 107 of *Teubner Texte zur Mathematik*, pages 295 – 298, Leipzig, 1988. Teubner.
- [413] H. Voss. *Iterative Methods for Linear Systems of Equations*. University of Jyväskylä, Jyväskylä, 1993. Lecture Notes 27.
- [414] H. Voss. An Arnoldi method for nonlinear symmetric eigenvalue problems. In *Online Proceedings of the SIAM Conference on Applied Linear Algebra, Williamsburg.*, <http://www.siam.org/meetings/laa03/>, 2003.
- [415] H. Voss. Initializing iterative projection methods for rational symmetric eigenproblems. In *Online Proceedings of the Dagstuhl Seminar Theoretical and Computational Aspects of Matrix Algorithms, Schloss Dagstuhl 2003*, <ftp://ftp.dagstuhl.de/pub/Proceedings/03/03421/03421.VoszHeinrich.Other.pdf>, 2003.
- [416] H. Voss. A maxmin principle for nonlinear eigenvalue problems with application to a rational spectral problem in fluid–solid vibration. *Applications of Mathematics*, 48:607 – 622, 2003.
- [417] H. Voss. A rational spectral problem in fluid–solid vibration. *Electronic Transactions on Numerical Analysis*, 16:94 – 106, 2003.

- [418] H. Voss. An Arnoldi method for nonlinear eigenvalue problems. *BIT Numerical Mathematics*, 44:387 – 401, 2004.
- [419] H. Voss. A Jacobi–Davidson method for nonlinear and nonsymmetric eigenproblems. Technical report, Institute of Numerical Simulation, Hamburg University of Technology, 2004. Submitted to *Computers & Structures*.
- [420] H. Voss. A Jacobi–Davidson method for nonlinear eigenproblems. In M. Buback, G.D. van Albada, P.M.A. Sloot, and J.J. Dongarra, editors, *Computational Science – ICCS 2004, 4th International Conference, Kraków, Poland, June 6–9, 2004, Proceedings, Part II*, volume 3037 of *Lecture Notes in Computer Science*, pages 34–41, Berlin, 2004. Springer Verlag.
- [421] H. Voss. Numerical methods for sparse nonlinear eigenproblems. In Ivo Marek, editor, *Proceedings of the XV-th Summer School on Software and Algorithms of Numerical Mathematics, Hejnice, 2003*, pages 133 – 160, University of West Bohemia, Pilsen, Czech Republic, 2004. Available at <http://www.tu-harburg.de/mat/Schriften/rep/rep70.pdf>.
- [422] H. Voss. Electron energy level calculation of a three dimensional quantum dot. In T. Simos and G. Maroulis, editors, *Advances in Computational Methods in Sciences and Engineering 2005*, pages 586 – 589, Leiden, The Netherlands, 2005. Koninklijke Brill NV.
- [423] H. Voss. Locating real eigenvalues of a spectral problem in fluid-solid type structures. *J. Appl. Math.*, 2005:37 – 48, 2005.
- [424] H. Voss. A rational eigenvalue problem governing relevant energy states of a quantum dots. Technical Report 92, Institute of Numerical Simulation, Hamburg University of Technology, 2005. To appear in *J. Comput. Phys.*
- [425] H. Voss. An alternative motivation of the Jacobi–Davidson method. Technical Report 97, Institute of Numerical Simulation, Hamburg University of Technology, 2006.
- [426] H. Voss. Electron energy level calculation for quantum dots. *Comput. Phys. Comm.*, 174:441 – 446, 2006.
- [427] H. Voss. Projection methods for nonlinear sparse eigenvalue problems. Technical Report 97, Institute of Numerical Simulation, Hamburg University of Technology, 2006. To appear in *Annals of the European Academy of Sciences*.
- [428] H. Voss and B. Werner. A minimax principle for nonlinear eigenvalue problems with applications to nonoverdamped systems. *Math. Meth. Appl. Sci.*, 4:415–424, 1982.

- [429] H. Voss and B. Werner. Solving sparse nonlinear eigenvalue problems. Technical Report 82/4, Inst. f. Angew. Mathematik, Universität Hamburg, 1982.
- [430] H.F. Walker. Implementation of the GMRES method using householder transformations. *SIAM J. Sci. Stat. Comput.*, 9:152 — 163, 1988.
- [431] H.F. Walker. Residual smoothing and peak/plateau behavior in Krylov subspace methods. *Appl. Numer. Math.*, 19:279 — 286, 1995.
- [432] H.F. Weinberger. On a nonlinear eigenvalue problem. *J. Math. Anal. Appl.*, 21:506–509, 1968.
- [433] H.F. Weinberger. *Variational Methods for Eigenvalue Approximation*, volume 15 of *Regional Conference Series in Applied Mathematics*. SIAM, Philadelphia, 1974.
- [434] R. Weiss. Error-minimizing Krylov subspace methods. *SIAM J. Sci. Comput.*, 15:511 — 527, 1995.
- [435] B. Werner. *Das Spektrum von Operatorenscharen mit verallgemeinerten Rayleighquotienten*. PhD thesis, Fachbereich Mathematik, Universität Hamburg, 1970.
- [436] B. Werner. Das Spektrum von Operatorenscharen mit verallgemeinerten Rayleighquotienten. *Arch.Rat.Mech.Anal.*, 42:223 – 238, 1971.
- [437] O. Widlund. A Lanczos method for a class on nonsymmetric systems of linear equations. *SIAM J Numer. Anal.*, 15:801 — 812, 1978.
- [438] T. G. Wright and L.N. Trefethen. Large-scale computation of pseudospectra using arpack and eigs. *SIAM J. Sci. Comput.*, 23(2):591 – 605, 2001.
- [439] K. Wu, Y. Saad, and A. Stathopoulos. Inexact newton preconditioning techniques for large symmetric eigenvalue problems. *Electronic Transactions on Numerical Analysis*, 7:202–214, 1998.
- [440] K. Wu and H. Simon. *TRLAN User Guide*, 1.0 edition, March 1999.
- [441] K. Wu and H. Simon. Thick-restart Lanczos method for large symmetric eigenvalue problems. *SIAM J. Matrix Anal. Appl.*, 22(2):602 – 616, 2000.
- [442] J. Xu and X.C. Cai. A preconditioned GMRES method for nonsymmetric or indefinite problems. *Math. Comput.*, 59:311 — 319, 1992.
- [443] C. Yang. Convergence analysis of an inexact truncated RQ-iteration. *Electronic Transactions on Numerical Analysis*, 7:40–55, 1998.
- [444] D.M. Young. *Iterative Solution of Large Linear Systems*. Academic Press, New York, 1971.

- [445] D.M. Young and K.C. Jea. Generalized conjugate gradient acceleration of nonsymmetrizable iterative methods. *Lin. Alg. Appl.*, 34:159 — 194, 1980.
- [446] D.P. Young, R.G. Melvin, F.T. Johnson, J.E. Bussoletti, L.E. Wigton, and S.S Samant. Application of sparse matrix solvers as effective preconditioners. *SIAM J. Sci. Stat. Comput.*, 10:1186 — 1199, 1989.
- [447] H. Yserentant. Preconditioning indefinite discretization matrices. *Numer. Math.*, 54:719 — 734, 1988.
- [448] J.-P.M. Zemke. *Krylov subspace methods in finite precision: a unified approach*. PhD thesis, Hamburg University of Technology, Hamburg, 2003.
- [449] S.-L. Zhang. GPBi-CG: Generalized product-type methods based on Bi-CG for solving nonsymmetric linear systems. *SIAM J. Sci. Comp.*, 18:537 — 551, 1997.
- [450] L. Zhou and H.F. Walker. Residual smoothing techniques for iterative methods. *SIAM J. Sci. Comp.*, 15:297 — 312, 1994.
- [451] Y. Zhou. Eigenvalue computation from the optimization perspective: on Jacobi-Davidson, IIGD, RQI and Newton updates. Technical report, 2004. Available at <http://basilo.kaist.ac.kr/preprint/MCSPU/2003/P1074.pdf>.
- [452] Y. Zhou. Studies on Jacobi-Davidson, Rayleigh quotient iteration, inverse iteration generalized Davidson and Newton updates. Technical report, 2005. To appear in *Numer. Lin. Alg. Appl.*
- [453] R. Zurmühl and S. Falk. *Matrizen und ihre Anwendungen, Bd. I*. Springer, Berlin, fifth edition, 1984.
- [454] R. Zurmühl and S. Falk. *Matrizen und ihre Anwendungen, Bd. II*. Springer, Berlin, fifth edition, 1986.